

LED DOWNLIGHT




BERLITE®



illuminates the dreams



02 - 03



04



POWER LED



GÖMME TİP / RECESSED

LED+


Opsiyonel / Optional
Acil Kit (A), Sensörlü (S)
Acil Kitli + Sensörlü (AS)

01 siyah - black	RAI 9005
02 beyaz - white	RAI 9016
03 gri - grey	RAI 9006

KUTU ÖLÇÜLERİ / BOX DIMENSIONS

350601,602	170x170x110mm
350603,604	220x220x110mm
350605,606	260x260x110mm

230/50 Hz. IP40 10.5 230V CE



KOD CODE	AMPUL BİLGİLERİ BULB - TECH. SPECS	AĞIRLIK WEIGHT	DELİK ÖLÇÜSÜ CUT-OUT	A	B	CRI
350601	10,5w / 1290lm / 3000k	480 gr.	Ø130	Ø150	85	82
350602	10,5w / 1300lm / 4000k	480 gr.	Ø130	Ø150	85	80
350603	21w / 2590lm / 3000k	640 gr.	Ø180	Ø200	85	82
350604	21w / 2610lm / 4000k	640 gr.	Ø180	Ø200	85	80
350605	27w / 3370lm / 3000k	720 gr.	Ø220	Ø240	85	82
350606	27w / 3390lm / 4000k	720 gr.	Ø220	Ø240	85	80



POWER LED



GÖMME TİP / RECESSED

LED+



Opsiyonel / Optional
Acil Kit (A), Sensörlü (S)
Acil Kitli + Sensörlü (AS)

01 siyah - black	RAI 9005
02 beyaz - white	RAI 9016
03 gri - grey	RAI 9006

KUTU ÖLÇÜLERİ / BOX DIMENSIONS

350651,652	140x140x110mm
350653,654	170x170x110mm
350655,656	220x220x110mm
350657,658	260x260x110mm

230/50 Hz. IP40 10.5 230V CE



KOD CODE	AMPUL BİLGİLERİ BULB - TECH. SPECS	AĞIRLIK WEIGHT	DELİK ÖLÇÜSÜ CUT-OUT	A	B	CRI
350651	10,5w / 1290lm / 3000k	270 gr.	Ø90	Ø120	90	82
350652	10,5w / 1300lm / 4000k	270 gr.	Ø90	Ø120	90	80
350653	10,5w / 1290lm / 3000k	340 gr.	Ø130	Ø150	90	82
350654	10,5w / 1300lm / 4000k	340 gr.	Ø130	Ø150	90	80
350655	21w / 2590lm / 3000k	450 gr.	Ø180	Ø200	90	82
350656	21w / 2610lm / 4000k	450 gr.	Ø180	Ø200	90	80
350657	27w / 3370lm / 3000k	540 gr.	Ø220	Ø240	90	82
350658	27w / 3390lm / 4000k	540 gr.	Ø220	Ø240	90	80



POWER LED



GÖMME TİP / RECESSED

LED+

Opsiyonel / Optionel



Acil Kit (A), Sensörlü (S)
Acil Kitli + Sensörlü (AS)

01 siyah - black	RAI 9005
02 beyaz - white	RAI 9016
03 gri - grey	RAI 9006

KUTU ÖLÇÜLERİ / BOX DIMENSIONS

351601,602	170x170x110mm
351603,604	210x210x110mm
351605,606	220x220x110mm
351607,608	260x260x110mm

230/50 Hz. IP40 10.5A CE



KOD CODE	AMPUL BİLGİLERİ BULB - TECH. SPECS	AĞIRLIK WEIGHT	DELİK ÖLÇÜSÜ CUT-OUT	A	B	CRI
351601	10,5w / 1290lm / 3000k	430 gr.	Ø138	Ø150	90	82
351602	10,5w / 1300lm / 4000k	430 gr.	Ø138	Ø150	90	80
351603	15w / 1860lm / 3000k	525 gr.	Ø173	Ø185	90	82
351604	15w / 1880lm / 4000k	525 gr.	Ø173	Ø185	90	80
351605	21w / 2590lm / 3000k	570 gr.	Ø188	Ø200	90	82
351606	21w / 2610lm / 4000k	570 gr.	Ø188	Ø200	90	80
351607	27w / 3370lm / 3000k	680 gr.	Ø228	Ø240	90	82
351608	27w / 3390lm / 4000k	680 gr.	Ø228	Ø240	90	80





GÖMME TİP / RECESSED





Opsiyonel / Optional
Acil Kit (A), Sensörlü (S)
Acil Kiti + Sensörlü (AS)

01 siyah - black	RAI 9005
02 beyaz - white	RAI 9016
03 gri - grey	RAI 9006

KUTU ÖLÇÜLERİ / BOX DIMENSIONS

300301,308,309	220x220x70mm
300302,310,311	260x260x70mm
300303,312,313	320x320x70mm
300304,305	170x170x70mm
300306,307	200x200x70mm



Delux-q / G24q



LED



KOD CODE	AMPUL BİLGİLERİ BULB - TECH. SPECS	AĞIRLIK WEIGHT	DEMLİK ÖLÇÜSÜ CUT-OUT	A	B	C	CRI
300301	Delux-q / 2x18w / G24q	1050 gr.	175x175mm	200	200	50	---
300302	Delux-q / 2x26w / G24q	1600 gr.	210x210mm	240	240	50	---
300303	Delux-q / 2x26w / G24q	2100 gr.	265x265mm	300	300	50	---
300304	10,5w / 1454lm / 3000k	560 gr.	135x135mm	150	150	50	82
300305	10,5w / 1454lm / 4000k	560 gr.	135x135mm	150	150	50	80
300306	14w / 2163lm / 3000k	950 gr.	165x165mm	180	180	50	82
300307	14w / 2163lm / 4000k	950 gr.	165x165mm	180	180	50	80
300308	16w / 2472lm / 3000k	1050 gr.	180x180mm	200	200	50	82
300309	16w / 2472lm / 4000k	1050 gr.	180x180mm	200	200	50	80
300310	19w / 2781lm / 3000k	1600 gr.	210x210mm	240	240	50	82
300311	19w / 2781lm / 4000k	1600 gr.	210x210mm	240	240	50	80
300312	23w / 3400lm / 3000k	1650 gr.	265x265mm	300	300	50	82
300313	23w / 3400lm / 4000k	1650 gr.	265x265mm	300	300	50	80



SIVA ÜSTÜ / SURFACE






Opsiyonel / Optional
Acil Kit (A), Sensörlü (S)
Acil Kiti + Sensörlü (AS)

01 siyah - black	RAI 9005
02 beyaz - white	RAI 9016
03 gri - grey	RAI 9006

KUTU ÖLÇÜLERİ / BOX DIMENSIONS

340101,108,109	220x220x95mm
340102,110,111	260x260x95mm
340103,112,113	320x320x95mm
340104,105	170x170x95mm
340106,107	200x200x95mm



Delux-q / G24q



LED



KOD CODE	AMPUL BİLGİLERİ BULB - TECH. SPECS	AĞIRLIK WEIGHT	A	B	C	CRI
340101	Delux-q / 2x18w / G24q	1100 gr.	200	200	75	---
340102	Delux-q / 2x26w / G24q	1650 gr.	240	240	75	---
340103	Delux-q / 2x26w / G24q	2150 gr.	300	300	75	---
340104	10,5w / 1454lm / 3000k	610 gr.	150	150	75	82
340105	10,5w / 1454lm / 4000k	610 gr.	150	150	75	80
340106	14w / 2163lm / 3000k	1000 gr.	180	180	75	82
340107	14w / 2163lm / 4000k	1000 gr.	180	180	75	80
340108	16w / 2472lm / 3000k	1100 gr.	200	200	75	82
340109	16w / 2472lm / 4000k	1100 gr.	200	200	75	80
340110	19w / 2781lm / 3000k	1650 gr.	240	240	75	82
340111	19w / 2781lm / 4000k	1650 gr.	240	240	75	80
340112	23w / 3400lm / 3000k	1700 gr.	300	300	75	82
340113	23w / 3400lm / 4000k	1700 gr.	300	300	75	80

BERLITE®

www.berlite.com

Fabrika | Factory

Karayolları Mah. 567 Sk. No. 10 Pk. (34255)
Küçükköy Gaziosmanpaşa / İSTANBUL / TÜRKİYE
T. +90 (212) 649 03 97-99 F. +90 (212) 649 02 10

Perpa | Showroom

Halil Rifatpaşa mah. Perpa Ticaret Merkezi
A Blok Kat: 11 No: 1473 Pk. (34384)
Okmeydanı - Şişli / İSTANBUL / TÜRKİYE
T. +90 (212) 210 17 54 - 3 lines F. +90 (212) 210 04 36

www.berlite.com / info@berlite.com

